

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| L1 | 8 | ((("6481969") or ("6438837") or ("6397604") or ("6382903") or ("6158102") or ("5593274") or ("4350345") or ("4402514")).PN. | USPAT | OR | OFF | 2005/10/20 09:14 |
| L2 | 330 | (415/174.5).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/10/20 10:01 |
| L3 | 266 | (415/216.1).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/10/20 11:12 |
| L4 | 830 | (415/229,230).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/10/20 11:12 |
| L5 | 527 | 4 and (shaft or rotor) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 11:12 |
| L6 | 340 | 5 and seal | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 12:32 |
| L7 | 764 | (277/412).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/10/20 12:33 |
| L8 | 191 | 7 and turbine | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 13:02 |
| L9 | 10378 | seal and turbine and shaft and (shaft same seal) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 13:03 |
| L10 | 531 | 9 and shaft.ti. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 13:03 |
| L11 | 272 | 10 and shaft.clm. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 13:03 |
| L12 | 155 | 11 and seal.clm. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 13:15 |
| L17 | 1 | ("4193603").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/20 14:26 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| L18 | 933 | (415/170.1,171.1).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/10/20 14:26 |
| L19 | 510 | 18 and shaft | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 14:26 |
| L20 | 381 | 19 and seal | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 14:27 |
| L21 | 145 | 20 and turbine | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 14:43 |
| L22 | 51 | oil adj deflector and turbine | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 14:43 |
| L23 | 37 | 22 and seal | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 14:43 |
| L24 | 13 | ("2846245").URPN. | USPAT | OR | ON | 2005/10/20 14:51 |
| L25 | 19704 | steam adj turbine | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:16 |
| L26 | 4318 | 25 and high and intermediate | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:17 |
| L27 | 17 | 25 and high adj pressure adj shaft and intermediate | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:17 |
| L28 | 0 | 25 and high adj pressure adj shaft and intermediate adj pressure adj shaft | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:17 |
| L29 | 6191 | 25 and high near2 stage shaft and intermediate near2 stage | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:17 |
| L30 | 209 | 25 and high near2 stage and intermediate near2 stage | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:18 |

| | | | | | | |
|-----|----|-------------------------------|---|----|----|------------------|
| L31 | 50 | 30 and seal | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:18 |
| L32 | 22 | 31 and oil | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:21 |
| L33 | 51 | turbine and oil adj deflector | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2005/10/20 15:21 |